

# Vitamin Research Products

Dedicated to the Scientific Pursuit of Better Health

## Unique Sweetener Reduces Tooth Decay and Infections

# Xylitol: A Sweet Alternative

by Carolyn Pierini, CLS, CNC

Early in the last century, pioneers in the area of health and longevity almost universally agreed that sugar was the bane of our existence, and that it needed to be totally eliminated from the diet. Despite early warnings, US sugar consumption has steadily increased. The USDA statistics show consumption of sugar to be about 20 teaspoons per person per-day, and that's only what is added to food and drink — not the sugar occurring naturally in food. Sucrose (table sugar) remained the sugar of choice even after the introduction of artificial sweeteners.<sup>1</sup>

With the discovery of the life-extending potential that optimally low levels of insulin can have, it is now time to seriously examine safe alternatives. The most commonly used sugars—i.e. sucrose, dextrose, fructose, etc.—all quickly transform into glucose (blood sugar). Glucose is the primary inducer of high insulin levels that contribute to age-related disorders that Dilman first described in 1974, and which has been recently “rediscovered” and renamed Syndrome X. Dilman first attributed the co-occurrence of obesity, hypertension, cardiovascular disease, type II diabetes, and cancer to insulin-resistance and resultant hyperinsulinemia. Ironically, Dilman's early work both predicted this syndrome and outlined the therapeutic means for reversing these changes.

Other countries around the world have taken a more sensible approach to the “sugar” problem. Researchers in Finland have been working with a natural sweetener called xylitol for the last 30 years. There, massive health education programs have been used to educate the public on the enormous health benefits and safety of using xylitol. In Russia it has been used for decades as a sweetener for diabetics, in Germany in solutions for intravenous feeding, and in China, xylitol has been used for various medical purposes. Virtually unknown in Japan 3 to 4 years ago, xylitol sales have soared to over 400 million dollars yearly.




Fig. 1. Chart illustrating summary of reduction in DMFS Increment (Decayed, Missing, or Filled tooth Surfaces) in field studies using Xylitol. (Reference.s 18-22).

### What is Xylitol?

Pure 100% pharmaceutical-grade xylitol is a white, crystalline carbohydrate that is classified, according to some chemical encyclopedias, as a sugar. It is found naturally in fibrous vegetables and fruit, as well as in various hardwood trees like birch. It is even produced by the human body during normal metabolism (up to 15 grams daily from other foods).<sup>2</sup> It is a naturally occurring form of the 5-carbon sugar, xylose (*xyl* in Greek means “wood”).<sup>3</sup> The main sources of commercially produced xylitol are corncobs and wood scraps from the lumber industry. Xylitol is more narrowly classified as a polyol or sugar alcohol (without inebriating qualities). Polyols possess functional hydroxyl groups. It is important to note that xylitol differs from other polyols like sorbitol, for example.<sup>4</sup> Xylitol is a 5-carbon pentitol whereas sorbitol is a 6-carbon hexitol.

Sorbitol, consequently, can support the growth of cariogenic (cavity-causing) bacteria in the mouth. However, these bacteria are unable to utilize xylitol for growth. *Consequently, xylitol use actually prevents cavities, while other sugars promote cavities.*

Xylitol is also much sweeter than sorbitol. Although xylitol is tolerated well even in large servings, very sensitive individuals may need to adapt to higher intakes. An adaptive increase in the activity levels of an enzyme (a polyol dehydrogenase) greatly increases the rate of xylitol absorption in a few days. This is not the case with sorbitol. Xylitol is slowly absorbed and metabolized, resulting in negligible changes in insulin. It also has 40% fewer calories than ordinary sugar. Xylitol dissolves quickly and produces a cooling sensation in the mouth. It is a true sugar replacement, having the physiologic advantage of a pleasant taste and sweetness equal to sugar with no aftertaste. It can easily be used to replace sucrose (table sugar) in the diet.<sup>5,6</sup>

### History and Approval

Discovered in 1891 by German chemist Emil Fischer, xylitol remained relatively unappreciated until the sugar shortages in Finland during World War II. Without a domestic supply of sugar, the Fins began using xylitol. Years later, it was noted that those who used xylitol had better health than those who didn't. This stimulated research to discover why.

Today, xylitol has been extremely well researched with around 1,500 published studies. Xylitol has been used as a sweetening agent in human food since the 1960s. Xylitol is currently approved for use in foods, pharmaceuticals, and oral health products in more than 35 countries.

In 1986, the Federation of American Societies for Experimental Biology (FASEB) was commissioned by the US FDA to review all relevant data concerning xylitol and other polyols. FASEB reported that the use of xylitol is safe for humans and acceptable as an approved food additive in foods for special dietary uses.

In 1983, the Joint Expert Committee on Food Additives (JECFA), a scientific advisory board allocated an "Acceptable Daily Intake" (ADI) definition of "not specified" for xylitol. This indicates that xylitol is extremely safe and that no consumption limits are needed.<sup>5,7,8,9</sup>

In detail JECFA recommended an unlimited ADI based on the safety of xylitol. This type of specification reflects the safest category in which this committee can place a food additive.

Additionally, JECFA recommended that no additional toxicology studies were needed.

### Dental Benefits/Antibacterial Qualities

Xylitol may be the ideal alternative to sugar. More than a mere substitute, it appears to be a valuable adjunctive modality in dental care. Clinical and field tests demonstrated dramatic reductions in new tooth decay, along with arrest and even some reversal of existing dental cavities (Figures 2 and 3). Xylitol provides additional protection that enhances all existing prevention methods. This xylitol effect is long-lasting and possibly permanent.<sup>10</sup> Low decay rates persist even years after trials have been completed.

### Clinically Proven Effects of Xylitol

- Inhibits plaque and dental cavities by 80%
- Retards demineralization of tooth enamel
- Promotes remineralization of tooth enamel
- Increases saliva production
- Relieves "dry mouth" (xerostomia)
- Protects salivary proteins, has a protein-stabilizing effect
- Improves breath odor
- Reduces infections in the mouth and nasopharynx<sup>5,11,12,13</sup>

Xylitol binds with calcium and other polyvalent cations, contributing to remineralization of enamel. The calcium-xylitol

harmless bacteria to crowd them out. This creates a long-lasting, possibly permanent change in the bacteria of the mouth.

Xylitol also reduces the incidence of periodontal disease. Periodontal disease is also a risk factor for damage to heart and blood vessels. In the presence of xylitol, bacterial adhesion to epithelial cells is disrupted. In an *in vitro* assay using a 5% solution of xylitol, researchers demonstrated that the mucosal attachment of *Streptococcus pneumoniae* and *Haemophilus influenzae* was reduced by factors of 68% and 50%, respectively.

Xylitol-laced gum (mints, nasal spray) is an excellent tool for knocking out infections that start in the mouth and throat. Adults and children old enough to chew gum can easily saturate the oral cavity with bacteria-killing xylitol simply by chewing the gum for five to ten minutes several times

*"Xylitol inhibits the growth of S. mutans by raising the pH of the mouth, providing less hospitable conditions for S. mutans, thereby allowing harmless bacteria to crowd them out."*


complexes facilitate calcium absorption through the gut wall. This suggests xylitol may play a role in preventing osteoporosis. This hypothesis has been tested in experimental animals.<sup>14</sup>


Sugar is fermented by oral bacteria such as *Streptococcus mutans*, the principal instigator of dental cavities. *S. mutans* produce acids that eat through the enamel of teeth and cause decay. These bacteria thrive in the low pH (high acid) conditions of the mouth, easily adhering to teeth and producing plaque. Xylitol inhibits the growth of *S. mutans* by raising the pH of the mouth, providing less hospitable conditions for *S. mutans*, thereby allowing

daily. Researchers at the University of Oulu, in Finland recently had 306 Finnish children from 11 day-care nurseries chew gum either sweetened with sucrose or xylitol. The average age of the children was five years, and most had been selected because they had a history of recurrent, acute otitis media (middle ear infections). At the end of two months, the group chewing xylitol-sweetened gum had a 40% reduction in the incidence of otitis media when compared to those who used the sucrose-sweetened gum.<sup>15</sup>

Researchers now believe that gum sweetened with xylitol may be a simple way to treat or prevent chronic sinusitis and some of the more serious throat and lung infections. This is tremendously significant, since recurrent *otitis media* is the number-one reason for children's visits to doctors. It is also the reason for millions of prescriptions of antibiotics, useless surgeries to the eardrum to allow drainage, and many other questionable procedures. Based on these new findings, many of these problems could be totally eliminated through the use of xylitol. It is also possible that the virulent bacteria flora present in the aero-digestive tract can be favorably affected by systematic xylitol use.

To be effective, 4 to 12 grams of xylitol per day are needed (gums and mints contain about 1 gram each). We suggest using xylitol 3-5 times daily between meals. Increasing dental benefits level off at around 15 grams per day.





**Fig. 3.** A follow-up study on the effect of xylitol chewing gum on dental cavities re-examined the possible long-term preventive effects. (Isokangas P, Alanen P, Tiekso J, Makinen KK. Xylitol chewing gum in caries prevention. A field study in children at caries-active ages. *J Am Dent Assoc* 1988.)

### Xylitol Improves Diabetes and Carbohydrate Sensitivity

Increases of blood glucose, serum lipids and insulin have been associated with sugar consumption. Advantages of using xylitol to improve blood sugar control include:

- Excellent taste, versatility and equivalent sweetness
- Low calorie
- Very low glycemic index
- Minimal effect on blood sugar and insulin levels
- Slow, steady release of energy
- Antiketogenic - lowers serum free fatty acid levels and improves peripheral glucose utilization
- Increases absorption of B vitamins and calcium
- Improves dental health
- Inhibits yeast, including *Candida Albicans*
- Decreases glycation of proteins, reduces AGEs
- Reduces carbohydrate cravings and binge eating<sup>16,17</sup>

### Xylitol Aids Weight Loss

There are many different strategies for weight control. Xylitol fits neatly into most of them. Xylitol slows stomach-emptying, and its low glycemic index and mostly insulin-independent metabolism makes it ideal for maintaining steady levels of insulin and blood sugar. This increases satiety and reduces bingeing. Xylitol is incompletely absorbed, and only a portion of what is absorbed slowly converts to glucose. An important added bonus of xylitol metabolism is the activation of the glutathione antioxidant system which helps

to quench free radicals generated by heavy exercise, thereby reducing oxidative damage to muscle and blood cells. Because xylitol is efficiently and steadily converted to glucose (energy) and glycogen (storage) it may be particularly useful when coupled with other carbohydrates for recovery after heavy exercise. Likewise, it may be valuable for carbohydrate loading (super-compensating) by packing glycogen after a depletion phase.

Xylitol used between meals maintains a steady trickle of energy. Unabsorbed xylitol acts like dietary fiber, helping to maintain healthy gut function. Partial bacterial fermentation here produces volatile short chain fatty acids that are utilized along existing insulin-independent energy pathways.

### Xylitol for Athletes and Bodybuilders

Strength athletes (football players, bodybuilders, etc.) searching for alternatives to steroids are particularly intrigued by xylitol. Even thin runners want to avoid the “emaciated” look caused by upper body protein being used for fuel. Developing lean muscle mass involves increasing anabolism (build-up) while minimizing catabolism (breakdown) of muscle protein. These are well-documented xylitol effects in conditions of stress and trauma. It is not known yet how well these findings will translate for athletes and bodybuilders, but the possibilities look promising.

### Summary of Benefits

Xylitol is a sweet-tasting sugar substitute that has been approved for use in more than 35 countries. Consumption of xylitol is associated with a significant reduction in

tooth decay, resulting in fewer cavities and resolution of periodontal disease. Xylitol has been shown to contribute to increased bone density, weight loss, stabilization of blood sugar and lowering of insulin levels. Additional benefits include:

- Increases energy by enhancing ATP production
- Increases utilization of fat
- Replenishes glycogen
- Anabolic—keeps biosynthetic pathways open
- Anticatabolic—helps maintain lean muscle mass
- Antioxidant—generates NADPH, keeping glutathione in an active state
- Increases endurance
- Reduces free radical and oxidative damage

Dosages of xylitol up to 15 grams per day have been used in clinical studies, with excellent results for a number of clinical conditions. The safety of xylitol has been extensively tested. To date, it is completely devoid of adverse effects. And the best part, is that it tastes good.

### References

1. David Williams. “How Sweet It Isn’t.” *Alternatives*, June 99:185-8.
2. Makinen KK. Biochemical principles of the use of xylitol in medicine and nutrition with special consideration of dental aspects. *Birkhauser Verlag*, Basel, 1978.
3. Aminoff C. New carbohydrate sweeteners. In “*Sugars in Nutrition*” (Sipple HL, McNutt KW, eds), Chapter 10, Academic Press, New York 1974.
4. Makinen KK. Latest dental studies on xylitol and mechanism of action of xylitol in caries limitation. In “*Progress in Sweeteners*” (Grenby TH, ed), Chapter 13, Elsevier, London 1989.
5. John Peldyaly. “*Xylitol, Sweeten Your Smile*.” Sweet Smart (Mt Pleasant, MI: Advanced Developments Inc., 1996)
6. Bar, A., Xylitol. *Alternative Sweeteners*, L. O'Brien Nabors & R.C. Gelardi eds., Marcel Dekker, Inc., N.Y., 1986.
7. Life Sciences Research Office, 1986. Health aspects of sugar alcohols and lactose. Report prepared for the Center for Food Safety and Applied Nutrition, Food and Drug Administration, Washington, D.C., under contract No. FDA 223-83-2020 by the Life Sciences Research Office, Federation of American Societies for Experimental Biology (FASEB), Bethesda, Md.
8. Office of the Federal Register, General Services Administration, 1987. *Code of Federal Regulations*, Title 21, S. 172.395. Washington, D.C., U.S. Government Printing Office.
9. WHO/FAO Evaluation of certain food additives and contaminants, *Twenty-seventh Report of the Joint FAO/WHO Expert Committee on Food Additives*. Geneva, WHO Technical Report Series No. 696, 1983.
10. Isokangas, P.; Alanen, P.; Tiekso, J.; and Makinen, K.K. 1989. Long-term effect of xylitol chewing gum on dental caries. *Community Dent Oral Epidemiol* 200.
11. Soderling, E.; Makinen, K.K.; Chen, C.-Y.; Pape, Jr., H.R.; Makinen, P.L. Effect of Sorbitol, xylitol and xylitol/sorbitol chewing gums on dental plaque. *Journal of Dental Research*, Vol.67, Special Issue, Abstract 1334, 1988.
12. Tufts University School of Dental Medicine: *Dry Mouth*, 1986
13. Makinen KK, Soderling E. Solubility of Calcium salts, enamel, and hydroxyapatite in aqueous solutions of simple carbohydrates. *Calcif Tissue Int* (1984) 36:64-71
14. Svanberg M, Knuutila M. Dietary xylitol prevents ovarioectomy-induced changes of bone inorganic fraction in rats. *Bone Miner* (1994) 26:81-88
15. Uhari M, Kontiokari T, Koskela M, Niemela M. Xylitol chewing gum in prevention of acute otitis media: double blind randomized trial. *Br Med J* (1996) 313:1180-1184.
16. Brunzell, John D., Use of fructose, xylitol, or sorbitol as a sweetener in diabetes mellitus. *Diabetes Care*, Vol. 1, No. 4, July-August 1978.
17. Makinen KK. Dietary prevention of dental caries by xylitol- clinical effectiveness and safety. *Journal of Applied Nutrition* (1992) 44:16-28.
18. Scheinen A, Banoczy J, Szokes J, et al; Collaborative WHO xylitol field studies in Hungary. *Acta Odontol Scand* 1985;43:327-347.
19. Kandelman D, Bar A, Hefli A; Collaborative WHO xylitol field study in French Polynesia. *Caries Res* 1988;22(1):55-62.
20. Kandelman D, Gagnon G. *J Dent Res* 1987;66(8): 1407-1411.
21. Isokangas P, Alanen P, Tiekso J, Makinen KK. Xylitol chewing gum in caries prevention. A field study in children at caries-active ages. *J Am Dent Assoc* 1988.
22. Makinen, KK, et al. Belize Chewing Gum Study 1989-1993. *Journal of Dental Research* 1995;74(12):1904.

The information in this article is not intended to provide personal medical advice, which should be obtained from a medical professional, and has not been approved by the FDA. © 2002 by Vitamin Research Products, Inc.

**X'PERIENCE**

*fresh  
breath  
&  
beautiful  
teeth*



**Xylitol looks and tastes just like sugar...  
*but that's where the similarity ends!***

Xylitol (Zy-le-tal) prevents cavities, while other sugars promote cavities. Xylitol may even help prevent sinus infections, bronchitis, pneumonia, middle ear infections and periodontal disease. According to research, 75% of American adults over the age of 35 suffer from some form of periodontal disease.

Xylitol is found naturally in fibrous vegetables and fruit, as well as in various hardwood trees like birch. It is even produced by the human body during normal metabolism (up to 15 grams daily from other foods).

Xylitol was used for decades in Russia as a sweetener for diabetics. In Japan, it was virtually unknown three to four years ago. Today, the Japanese spend in excess of \$400 million per year on xylitol-sweetened products. Within the next few months, news about Xylitol will be everywhere!

**Xylitol Products Available**

Unique Sweet® Peppermint Gum

Unique Sweet® Peppermint Mints

Unique Sweet® Crystals

**Healthy Mouth =  
Healthy Body!**

**THE ABCs  
*of Xylitol***

- Inhibits Plaque and Dental Cavities by 80%
- Improves Breath Odor
- Relieves 'Dry Mouth'
- Retards Demineralization of Tooth Enamel
- Fights & Prevents Ear Infections
- Protects Salivary Proteins via a Protein-stabilizing Effect
- Safe for Hypoglycemics & Diabetics
- Rebuilds Tooth Enamel
- Reduces Infections in the Mouth and Nasopharynx
- Produces dental benefits that are long-lasting, maybe even permanent. Low decay rates persist for years after clinical trials have been completed.
- 40% Fewer Calories than Sugar